2023 Preventive Schedule

Effective 1/1/2023

Plan your care: Know what you need and when to get it

Preventive or routine care helps us stay well or finds problems early, when they are easier to treat. The preventive guidelines on this schedule depend on your age, gender, health, and family history. As a part of your health plan, you may be eligible to receive some of these preventive benefits with little to no cost sharing when using in-network providers. Make sure you know what is covered by your health plan and any requirements before you receive any of these services.

Some services and their frequency may depend on your doctor's advice. That's why it's important to talk with your doctor about the services that are right for you. CHIP members may have additional preventive services and coverage. Please check the CHIP member booklet for further details of CHIP coverage of preventive services.

Questions?

Call Member Service

Ask your

Log in to your account

Ad	ults: Ages 19+	🛉 Female 👖 Male
GENE	RAL HEALTH CARE	
†	Routine Checkup* (This exam is not the work- or school-related physical)	Ages 19 to 49: Every 1 to 2 yearsAges 50 and older: Once a year
†	Depression Screening	Once a year
	Illicit Drug Use Screening	Once a year
Ť	Pelvic, Breast Exam	Once a year
SCRE	ENINGS/PROCEDURES	
Ť	Abdominal Aortic Aneurysm Screening	Ages 65 to 75 who have ever smoked: One-time screening
†	Ambulatory Blood Pressure Monitoring	To confirm new diagnosis of high blood pressure before starting treatment
*	Breast Cancer Genetic (BRCA) Screening (Requires prior authorization)	Those meeting specific high-risk criteria: One-time genetic assessment for breast and ovarian cancer risk
†	Cholesterol (Lipid) Screening	Ages 20 and older: Once every 5 yearsHigh-risk: More often
*	Colon Cancer Screening (Including Colonoscopy)	Ages 45 and older: Every 1 to 10 years, depending on screening testHigh-risk: Earlier or more frequently
†	Colon Cancer Screening	Ages 45 and older: Colonoscopy following a positive result obtained within 1 year by other mandated screening method
†	Certain Colonoscopy Preps With Prescription	Ages 45 and older: Once every 10 yearsHigh-risk: Earlier or more frequently
†	Diabetes Screening	High-risk: Ages 40 and older, once every 3 years
†	Hepatitis B Screening	High-risk

* Routine checkup could include health history; physical; height, weight, and blood pressure measures; body mass index (BMI) assessment; counseling for obesity, fall prevention, skin cancer, and safety; depression screening; alcohol and drug abuse, and tobacco use assessment; age-appropriate guidance, and intimate partner violence screening and counseling for reproductive age women.

WESTERN NEW YORK

* USPSTF mandated Routine Labs

Adults: Ages 19+

	ENINGS/PROCEDURES	
OCKEL		A 10 to 70
ŤŤ	Hepatitis C Screening	Ages 18 to 79
† †	Latent Tuberculosis Screening	High-risk
†	Lung Cancer Screening (Requires prior authorization and use of authorized facility)	Ages 50 to 80 with 20-pack per year history: Once a year for current smokers, or once a year if currently smoking or quit within past 15 years
†	Mammogram	Ages 35 and older: Once a year including 3D, breast MRIs and ultrasound
Ť	Osteoporosis (Bone Mineral Density) Screening	Ages 65 and older: Once every 2 years, or younger if at risk as recommended by physician
†	Cervical Cancer Screening	 Ages 21 to 65 Pap: Every 3 years, or annually, per doctor's advice Ages 30 to 65: Every 5 years if HPV only or combined Pap and HPV are negative Ages 65 and older: Per doctor's advice
Ť	Prostate Cancer Screening	Age 50 and over without symptoms, age 40 and over with family history of prostate cancer or other risk factors, or for any man with prior history of prostate cancer
†	Sexually Transmitted Disease (STD) Screenings and Counseling (Chlamydia, Gonorrhea, HIV, and Syphilis)	 Sexually active males and females HIV screening for adults to age 65 in the general population and those at risk, then screening over age 65 with risk factors
ΙΜΜ	NIZATIONS**	
†	Chicken Pox (Varicella)	Adults with no history of chicken pox: One 2-dose series
* † * †	Chicken Pox (Varicella) COVID-19 Vaccine	Adults with no history of chicken pox: One 2-dose series Per doctor's advice following CDC and Emergency Use Authorization Guidelines
* † * † * †		Per doctor's advice following CDC and Emergency Use
* † * † * † *	COVID-19 Vaccine	Per doctor's advice following CDC and Emergency Use Authorization Guidelines
* † * † * † * † * †	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap)	Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination
* † * † * † * † * † *	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap) Flu (Influenza)	Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network) For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against
* † * † * † * † * † * † * † * †	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap) Flu (Influenza) Haemophilus Influenzae Type B (Hib)	Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network) For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against the flu and does not replace the annual flu vaccine
* † * † * † * † * † * † * † * † * †	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap) Flu (Influenza) Haemophilus Influenzae Type B (Hib) Hepatitis A	Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network) For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against the flu and does not replace the annual flu vaccine At-risk or per doctor's advice: One 2- or 3-dose series • Ages 19–59: 2 to 4 doses per doctor's advice
* *	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap) Flu (Influenza) Haemophilus Influenzae Type B (Hib) Hepatitis A	 Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network) For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against the flu and does not replace the annual flu vaccine At-risk or per doctor's advice: One 2- or 3-dose series Ages 19–59: 2 to 4 doses per doctor's advice Ages 60 and older: High-risk per doctor's advice To age 26: One 3-dose series
†	COVID-19 Vaccine Diphtheria, Tetanus (Td/Tdap) Flu (Influenza) Haemophilus Influenzae Type B (Hib) Hepatitis A Hepatitis B	 Per doctor's advice following CDC and Emergency Use Authorization Guidelines One dose Tdap, then Td or Tdap booster every 10 years Every year (Must get at your PCP's office or designated pharmacy vaccination provider; call Member Service to verify that your vaccination provider is in the Highmark network) For adults with certain medical conditions to prevent meningitis, pneumonia, and other serious infections; this vaccine does not provide protection against the flu and does not replace the annual flu vaccine At-risk or per doctor's advice: One 2- or 3-dose series Ages 60 and older: High-risk per doctor's advice To age 26: One 3-dose series Ages 27 to 45, at-risk or per doctor's advice

* Meningococcal B vaccine per doctor's advice.

** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network

IMMU	NIZATIONS**							
*	Shingles	 Shingrix - Ages 50 and older: Two doses Ages 19 to 49: Immunocompromised per doctor's advice 						
		- · ·						
PREVE	ENTIVE DRUG MEASURES THAT REQU							
†	Aspirin	Pregnant women at risk for preeclampsis	a					
Ť	Folic Acid	Women planning or capable of pregnand .4 to .8 mg of folic acid	cy: Daily supplement containing					
Ť	Chemoprevention drugs such as raloxifene, tamoxifen, or aromatase*** inhibitor	At risk for breast cancer, without a cance	er diagnosis, ages 35 and older					
†	Tobacco Cessation (Counseling and medication)	Adults who use tobacco products						
†	Low to Moderate Dose Select Generic Statin Drugs for Prevention of Cardiovascular Disease (CVD)	Ages 40 to 75 years with 1 or more CVI diabetes, hypertension, or smoking) and cardiovascular event of 10% or greater						
†	Select PrEP Drugs and Certain Related Services for Prevention of HIV Infection	Adults at risk for HIV infection, without an HIV diagnosis						
PREVE	ENTIVE CARE FOR PREGNANT WOMEN	l de la companya de l						
^	Screenings and Procedures	 Gestational diabetes screening Hepatitis B screening and immunization, if needed HIV screening Syphilis screening Smoking cessation counseling Depression screening during pregnancy and postpartum Depression prevention counseling during pregnancy and postpartum 	 Rh typing at first visit Rh antibody testing for Rh-negative women Tdap with every pregnancy Urine culture and sensitivity at first visit Alcohol misuse screening and counseling Nutritional counseling for pregnant women to promote healthy weight during the pregnancy 					
PREVE	ENTION OF OBESITY, HEART DISEASE,	DIABETES, AND STROKE						
†	Adults with BMI 25 to 29.9 (overweight) and 30 to 39.9 (obese) are eligible for:	 Additional annual preventive office visits specifically for obesity and blood pressure measurement Additional nutritional counseling visits specifically for obesity 	 Recommended lab tests: ALT AST Hemoglobin A1c or fasting glucose Cholesterol screening 					
†	Adults with a diagnosis of Hypertension, High Blood Pressure, Dyslipidemia, or Metabolic Syndrome	Nutritional counseling						
	Adults with BMI 40 and over	Nutritional counseling and fasting gluco	ose screening					

2023 Preventive Schedule

Plan your child's care: Know what your child needs and when to get it

Preventive or routine care helps your child stay well or finds problems early, when they are easier to treat. Most of these services may not have cost sharing if you use the plan's in-network providers. Make sure you know what is covered by your health plan and any requirements before you schedule any services for your child.

Services include Bright Futures recommendations. CHIP members may have additional preventive services and coverage. Please check the CHIP member booklet for further details of CHIP coverage of preventive services.

It's important to talk with your child's doctor. The frequency of services, and schedule of screenings and immunizations, depends on what the doctor thinks is right for your child.

Questions?

Call Member Service

O Ask your

Log in to your account

Children: Birth to 30 Months¹

GENERAL HEALTH CARE	BIRTH	1M	2M	4M	6M	9M	12M	15M	18M	24M	30M
Routine Checkup* (This exam is not the preschool- or day care-related physical.)	•	•	•	•	•	•	•	•	•	•	•
Hearing Screening	•										
SCREENINGS		,									
Autism Screening											
Critical Congenital Heart Disease (CCHD) Screening With Pulse Oximetry	•										
Developmental Screening											
Hematocrit or Hemoglobin Anemia Screening							•				
Lead Screening**											
Newborn Blood Screening and Bilirubin	•										
IMMUNIZATIONS											
Chicken Pox							Dose 1				
COVID-19 Vaccine	Per docto	or's advice	following	CDC and	Emergency	Use Auth	orization	Guidelines			
Diphtheria, Tetanus, Pertussis (DTaP)			Dose 1	Dose 2	Dose 3			Dose 4			
Flu (Influenza)***					Ages 6 m	onths to 3	0 months:	1 or 2 dos	es annually	7	
Haemophilus Influenzae Type B (Hib)			Dose 1	Dose 2	Dose 3		Dose 4				
Hepatitis A							Dose 1		Dose 2		
Hepatitis B	Dose 1	Dose 2			Dose 3						
Measles, Mumps, Rubella (MMR)							Dose 1				
Pneumonia			Dose 1	Dose 2	Dose 3		Dose 4				
Polio (IPV)			Dose 1	Dose 2	Ages 6 m	onths to 1	8 months:	Dose 3			
Rotavirus			Dose 1	Dose 2	Dose 3						

* Routine checkup could include height and weight measures, behavioral and developmental assessment, and age-appropriate guidance. Additional: Instrument vision screening to assess risk for ages 1 and 2 years.

** Per Bright Futures, and refer to state-specific recommendations as needed.

*** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network.

Children: 3 Years to 18 Years¹

GENERAL HEALTH CARE	3Y	4 Y	5Y	6Y	7Y	8Y	9Y	10Y	11Y	12Y	15Y	18Y
Routine Checkup* (This exam is not the preschool- or day care-related physical)	• • • • • • • Once a year from ages 11 to 18								18			
Ambulatory Blood Pressure Monitoring**												•
Depression Screening										Once a ages 12	year from to 18	
Illicit Drug Use Screening												
Hearing Screening***												•
Visual Screening***												
SCREENINGS												
Hematocrit or Hemoglobin Anemia Screening			Annual	ly for fema	ales durin	g adolesce	nce and w	hen indic	ated			
Lead Screening	When in	ndicated (Please also	o refer to y	your state-	-specific re	ecomment	lations)				
Cholesterol (Lipid) Screening							Once b	etween ag	es 9 to 11	and ages 1	l7 to 21	
IMMUNIZATIONS												
Chicken Pox		Dose 2								vaccina	reviously ted: Dose (s apart)	1 and 2
COVID-19 Vaccine	Per doc	tor's advid	e followin	g CDC ai	nd Emerg	ency Use	Authoriza	tion Guide	elines			
Dengue Vaccine							U.S. Te	rritories A		endemic : laboratory n		ion
Diphtheria, Tetanus, Pertussis (DTaP)		Dose 5							One dose Tdap			
Flu (Influenza)****	Ages 3 t	:0 18: 1 0	2 doses a	nnually				1				
Human Papillomavirus (HPV)								0	-	ion against ed ages 9 t		nd other
		D o					3 doses	, all other	ages.			
Measles, Mumps, Rubella (MMR)		Dose 2										
Meningitis****									Dose 1		Age 16 time bo	
Pneumonia	Per doc	tor's advid	ce									
Polio (IPV)		Dose 4										

- ** To confirm new diagnosis of high blood pressure before starting treatment.
- *** Hearing screening once between ages 11-14, 15-17, and 18-21. Vision screening covered when performed in doctor's office by having the child read letters of various sizes on a Snellen chart. Includes instrument vision screening for ages 3, 4, and 5 years. A comprehensive vision exam is performed by an ophthalmologist or optometrist and requires a vision benefit.
- **** Must get at your PCP's office or designated pharmacy vaccination provider. Call Member Service to verify that your vaccination provider is in the Highmark network. ***** Meningococcal B vaccine per doctor's advice.

^{*} Routine checkup could include height and weight measures, behavioral and developmental assessment, and age-appropriate guidance; alcohol and drug abuse, and tobacco use assessment.

CARE FOR PATIENTS WITH	I RISK FA	ACTORS	6								
BRCA Mutation Screening (Requires prior authorization)					Per doct	or's advic	e				
Cholesterol Screening	Screenin	g will be o	done based	d on the ch	uild's fami	y history	and risk fa	actors			
Fluoride Varnish (Must use primary care doctor)	Ages 5 a	nd young	er								
Hepatitis B Screening									Per docto	or's advice	
Hepatitis C Screening											
Latent Tuberculosis Screening											High- risk
Sexually Transmitted Disease (STD) Screenings and Counseling (Chlamydia, Gonorrhea, HIV, and Syphilis)										xually acti tine check o 18	
Tuberculin Test	Per doct	or's advic	e								

Children: 6 Months to 18 Years¹

PREVENTIVE DRUG MEASURES THAT REQUIRE A DOCTOR'S PRESCRIPTION							
Oral Fluoride	For ages 6 months to 16 years whose primary water source is deficient in fluoride						
PREVENTION OF OBESITY, HEART DISEASE,	DIABETES, AND STROKE						
Children with a BMI in the 85th to 94th percentile (overweight) and the 95th to 98th percentile (obese) are eligible for:	 Additional annual preventive office visits specifically for obesity Additional nutritional counseling visits specifically for obesity Recommended lab tests: Alanine aminotransferase (ALT) Aspartate aminotransferase (AST) Hemoglobin A1c or fasting glucose (FBS) Cholesterol screening 						
Age 18 with a diagnosis of Hypertension, High Blood Pressure, Dyslipidemia, or Metabolic Syndrome	Nutritional counseling						



SERVICES	
Well-Woman Visits (Includes: preconception and first prenatal visit, urinary incontinence screening)	Up to 4 visits each year for developmentally and age-appropriate preventive services
Contraception (Birth Control) Methods and Discussion*	All women planning or capable of pregnancy
SCREENINGS/PROCEDURES	
Diabetes Screening	High-risk: At the first prenatal visit
HIV Screening and Discussion	 All sexually active women: Once a year Ages 15 and older, receive a screening test for HIV at least once during their lifetime Risk assessment and prevention education for HIV infection beginning at age 13 Screen for HIV in all pregnant women upon initiation of prenatal care with rescreening during pregnancy based on risk factors
Human Papillomavirus (HPV) Screening Testing	Beginning at age 30: Every 3 years
Domestic and Intimate Partner Violence Screening and Counseling	Once a year
Breast-feeding (Lactation) Support and Counseling, and Costs for Equipment	During pregnancy and/or after delivery (postpartum)
Sexually Transmitted Infections (STI) Discussion	All sexually active women: Once a year
Screening for Anxiety	The Women's Preventive Services Initiative recommends screening for anxiety in adolescent girls and adult women, including those who are pregnant or postpartum.
Nutritional Counseling	Ages 40-60 with normal BMI and overweight BMI

* FDA-approved contraceptive methods may include sterilization and procedures as prescribed. One or more forms of contraception in each of the 18 FDA-approved methods, as well as any particular service or FDA approved, cleared or granted contraceptive product that an individual's provider determines is medically appropriate, are covered without cost sharing. Exception Process: Your provider may request an exception for use of a prescribed nonformulary contraception drug due to medical necessity by completing the online request form. When approved, the prescribed drug will then be made available to you with zero-dollar cost share. An initial 'Fail First' is not required, only provider determined medical necessity is needed when completing the exception form. The provider may note if there was a failed initial formulary drug, however it is not necessary for the formulary exception process for contraceptive drugs. https://content.highmarkprc.com/Files/Region/NY/Forms/Pharmacy/ Prescription%20Drug%20Medication%20Request%20Form.pdfOnly FDA approved contraception apps, which are not part of the 18 method categories, and are available for download to a cell phone are reimbursable through the paper claim process with a prescription. Members need to submit three documents to obtain reimbursement; 1) completed the paper Claim Form: https://www.highmarkbcbs.com/redesign/pdfs/mhs/Medical_Claim_Form.pdf (this link can be used for NY) Under section DIAGNOSIS OR NATURE OF ILLNESS OR INJURY – write "contraception app purchase" 2) receipt of payment for the FDA approved contraception app.

Notice of Nondiscrimination

The plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. The plan does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

The plan provides:

- Free aids and services to people with disabilities to communicate effectively with us, such as:
 - Qualified sign language interpreters
 - Written information in other formats (large print, audio, accessible electronic formats, other)
- Free language services to people whose primary language is not English, such as:
 - Qualified interpreters
 - Information written in other languages

If you need these services, please call the customer service number on the back of your member ID card or contact the Civil Rights Coordinator.

If you believe that the plan has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with: Civil Rights Coordinator, PO Box 22492, Pittsburgh, PA 15222, Phone: 1-866-286-8295 (TTY 711), Fax: 1-412-544-2475, email: CivilRightsCoordinator@highmarkhealth.org

You can file a grievance in person or by mail, fax, or email. You can also file a civil rights complaint with the US Department of Health and Human Services, Office for Civil Rights, electronically through the Office for Civil Rights Complaint Portal, available at https://ocrportal.hhs.gov/ocr/portal/lobby.jsf or by mail or phone at US Department of Health and Human Services, 200 Independence Avenue SW, Room 509F, HHH Building, Washington, DC 20201, 1-800-368-1019, 1-800-537-7697 (TDD).

Complaint forms are available at http://www.hhs.gov/ocr/office/file/index.html

For assistance in English, call the customer service number listed on your member ID card.

Para obtener asistencia en español, llame al servicio de atención al cliente al número que aparece en su tarjeta de identificación.

請撥打您 ID 卡上的客服號碼以尋求中文協助。

Обратитесь по номеру телефона обслуживания клиентов, указанному на Вашей идентификационной карточке, для помощи на русском языке.

רטל. ID רילף ן דיש, פט צקאומער רוויס יקבער ואס ייטואיער.

বাংলায় সহায়তার জন,, আপনার আইিড কার িি-4ড তললকাড ু 7 নঃরর র্র4০তা পররর4ায় র্�ান ক:ন।

한국어로 도움을 받고 싶으시면 ID 카드에 있는 고객 서비스 전화번호로 문의해 주십시오.

Aby uzyskać pomoc w języku polskim, należy zadzwonić do działu obsługi klienta pod numer podany na identyfikatorze.

او میں د لیے، ٹمر وس**آبیاؤل ج مغرریک** یں

Pour une assistance en français, composez le numéro de téléphone du service à la clientèle figurant sur votre carte d'identification.

رادو ان میں دلکے ثمر وسوکلے آئی ٹی کڑو دی وریک یں۔

Para sa tulong sa Tagalog, tumawag sa numero ng serbisyo sa customer na nasa inyong ID card.

Για βοήθεια στα ελληνικά, καλέστε το τμήμα εξυπηρέτησης πελατών στον αριθμό που αναφέρεται στην ταυτότητά σας.

Për ndihmë në gjuhën shqipe, merrni në telefon shërbimin klientor në numrin e renditur në kartën tuaj të identitetit.

Rele nimewo sèvis kliyantèl ki nan kat ID ou pou jwenn èd nan Kreyòl Ayisyen.

Per assistenza in italiano chiamate il numero del servizio clienti riportato nella vostra scheda identificativa.

Information About the Affordable Care Act (ACA)

This schedule is a reference tool for planning your family's preventive care, and lists items and services required under the Affordable Care Act (ACA), as amended. It is reviewed and updated periodically based on the advice of the U.S. Preventive Services Task Force, laws and regulations, and updates to clinical guidelines established by national medical organizations. Accordingly, the content of this schedule is subject to change. Your specific needs for preventive services may vary according to your personal risk factors. Your doctor is always your best resource for determining if you're at increased risk for a condition. Some services may require prior authorization. If you have questions about this schedule, prior authorizations, or your benefit coverage, please call the Member Service number on the back of your member ID card.

¹Information About Children's Health Insurance Program (CHIP)

Because the Children's Health Insurance Program (CHIP) is a government-sponsored program and not subject to ACA, certain preventive benefits may not apply to CHIP members and/or may be subject to copayments.

The ACA authorizes coverage for certain additional preventive care services. These services do not apply to "grandfathered" plans. These plans were established before March 23, 2010, and have not changed their benefit structure. If your health coverage is a grandfathered plan, you would have received notice of this in your benefit materials.



highmark.com/bcbswny

10/22 Z MX1950339